



SHIN•YO ENGINEERING SDN BHD (510968-K)

www.shinyoeng.com



ALL COMPONENTS PARTS OF SAFLOK® QUICK COUPLER.

FEMALE COUPLING

MALE ADAPTORS
TYPES: A, E, F, DP, EC...

GASKET

CAM PIN

PATENTED
LOCKING
CAM ARM

SPRING

RETAINING
SEAT

PROTECTING
GUARD PLATE

INTERNAL
THREAD SPEC:
ANSI B 1.20.1
DIN 2999
BS 21

DIN 259
ISO 228
JIS B 0203

COLLET
WASHER

SAFETY
POSITION
ROD

FINGER RINGS



SAFLOK®

ISO 9001:2008



www.tuv.com
ID 0910079107



info@waterson.com



**SAFLOK® -A ADAPTOR
(NPT, BSP, BSPT)**




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -E ADAPTOR



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

**SAFLOK® -B COUPLER
(NPT, BSP, BSPT)**



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

**SAFLOK® -F ADAPTOR
(NPT, BSP, BSPT)**




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -C COUPLER



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -DC DUST CAP



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

**SAFLOK® -D COUPLER
(NPT, BSP, BSPT)**



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -DP DUST PLUG



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4





SAFLOK® -ABSF ADAPTOR
AS PER DIN - 2828




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -EC ADAPTOR
AS PER DIN - 2828



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -BB COUPLER
AS PER DIN - 2828




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -FB ADAPTOR
AS PER DIN - 2828




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -CC COUPLER
AS PER DIN - 2828




MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -DC DUST CAP
AS PER DIN - 2828



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -DBSF COUPLER
AS PER DIN - 2828



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

SAFLOK® -DP DUST PLUG
AS PER DIN - 2828



MM.	INCH
15	1/2
20	3/4
25	1
32	1 1/4
40	1 1/2
50	2
65	2 1/2
80	3
100	4

